C O L O U R S

# SABER

ORDER FORM
Ver. 9. 0 Rev-072513

Tel: 951-808-9131 FAX: 951-808-9949
Toll Free: 800-892-8998 www.colourswheelchair.com

| DEALER | | | COLOURS INFORMATION For Office Use Only | | |
|---|---|---|---|---|---|
| Dealer: | | | Order Date: | S/N: | |
| Account: | P.O.#: | | **RTS** | | |
| Ordered By: | | | RTS: | Phone: | |
| Address: | | | Email: | | |
| City: | State: | Zip: | **SHIP TO** | | |
| Phone: | Fax: | | Name: | Ship Via: | |
| Email: | | | Address: | | |
| Customer Name: | | | City: | State: | Zip: |
| Customer Weight: | | | Phone: | Fax: | |

| CHAIR INFORMATION | PRICE | | |
|---|---|---|---|
| **SABER K0005** | Base Wheel Chair Price **K0005** | $ | 2,145 |
| **Adjustable FSH-RSH** | Total Section **A** | $ | |
| **Max. Capacity 250Lbs** | Total Section **B** | $ | |
| NOTE | Total Section **C** | $ | |
| **Main Frame : ZK55 & ZK60 High Grade A7000 Series Aluminum** | Total Section **D** | $ | |
| **Main Frame : Lifetime Warranty** | Total Section **E** | $ | |
| *See warranty policy | Total Section **F(Custom Parts Color)** | $ | |
| | ORDER GRAND TOTAL | $ | |

## A FRAME COLORS & PARTS COLORS

| FRAME COLORS | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Powder-Co** | ☐Gloss Black | ☐Twilight Flake | ☐Yellow | ☐Magenta | ☐Fire Engine Red | ☐White | |
| | ☐Candy Blue | ☐Candy Purple | ☐Candy Green | ☐Candy Red | ☐Candy Raspberry | ☐Cobalt Blue | |
| | ☐Matte Gray | ☐Matte Purple | ☐Matte Blue | ☐Matte Green | ☐Matte Black | ☐Matte Red | |
| | ☐Neon Red | ☐Neon Green | ☐Orange Sparkle | ☐Mellon Yellow | ☐Gun Smoke Silver | ☐Pigeon Blue | |
| | ☐Copper | ☐Granny Sparkle Green | ☐Sparkle Sky Blue | ☐Vermilion | ☐Reed Green | ☐Blue Lilac | $ STD |
| **Special** | ☐Polished | | | | | | $ 800 |
| | ☐24 karat Gold | | | | | | $ CFP |

| PARTS COLORS | | |
|---|---|---|
| **STD Color** Black Color (*Suspension Springs-Silver Color | | $ STD |
| **Custom Color Main Bolt on Parts One Color Package** | ☐Powder-Coated ( ) | $ 500 |
| Includi Backrest, Foot Plate, Footrest Rings, Backrest Brackets , Saddle Stops | ☐Polished | $ 750 |
| Forks & Knurl Nuts, Caps, Front Suspension Springs, Axle Tube, Axle Clamps, Axle Plates, Axle Bases, Camber Discs ☆marked parts | ☐24 karat Gold | $ CFP |




**Total Section A $**

Valid from July 2013 Prices & Specifications Are Subject To Change Without Notice.

## B FRAME MEASUREMENTS 1/2




| | | | |
|---|---|---|---|
| **1. SEAT WIDTH** | ☐14" ☐15" ☐16" ☐17" ☐18" ☐19" · · · · · · · · · · · · · · · | $ | STD |
| **2. SEAT DEPTH** | **Depth Adj. Frame** ☐**Short Frame** (16" Depth) Set at ☐14" ☐15" ☐16" · · · · | $ | STD |
| | ☐**Long Frame** (19" Depth) Set at ☐17" ☐18" ☐19" · · · · | $ | STD |
| **3. FOOTREST WIDTH** | ☐**STD** (Seat Width Minus 5", Taper on Bottom Frame) · · · · · · · · · · · · · · · · · · | $ | STD |

*No Custom Modifications




| | | | |
|---|---|---|---|
| **FOOT PLATE STYLE** | ☐**Standard single loop** with adjust. height & angle. STD Foot Plate · · · · · · · · · · · · **K0040** | $ | STD |
| | ☐**Single Flip-Back-single loop** (no riser avail) with adjust. height & angle. STD Foot Plate · · **K0040** | $ | 150 |

STD Foot Plate Size Chart




| Your Seat Width | Foot Plate Size |
|---|---|
| 14"-15" | W6.5"xD5" |
| 16"-18" | W8.5"xD6.5" |
| 19" | W11"xD6.5" |

*No Custom Modifications

| | | | |
|---|---|---|---|
| **4. FRAME BEND ANGLE** | ☐95° only *No Custom Modifications · · · · · · · · · · · · · · · · · · · · · · · · · · · · | $ | STD |




**FRAME ANGLE to the Ground**

| Seat Bucket | Your Seat Depth 14" | 15" | 16" | 17" | 18" | 19" |
|---|---|---|---|---|---|---|
| **0"** | 95° | 95° | 95° | 95° | 95° | 95° |
| **1"** | 91° | 91° | 91° | 92° | 92° | 92° |
| **2"** | 87° | 87° | 88° | 88° | 89° | 89° |
| **3"** | 83° | 83° | 84° | 85° | 85° | 86° |
| **4"** | 78° | 80° | 81° | 81° | 82° | 83° |
| **5"** | 74° | 76° | 77° | 78° | 79° | 80° |

## B FRAME MEASUREMENTS 2/2

### 5. BACKREST HEIGHT

* Rigidizer bar 3.25"deep std.

| Adj. Range | | | | | Adj. Range | | | | Adj. Range | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| ☐8" | ☐9" | ☐10" | ☐11" | ☐12" | ☐13" | ☐14" | ☐15" | ☐16" | ☐17" | ☐18" | $ STD |




**Type**

| | |
|---|---|
| ☐**Locking mechan**. with adjust. height & angle | $ STD |
| ☐**Double Locking mechan**. with adjust. height & angle | $ 25 |
| ☐**Folding with adjust.** height & angle | $ NCO |

*No Custom Modifications

### 6. BACKREST ANGLE

Set at ( °) to the ground *STD 90° — $ STD

### 7. FRONT SEAT HEIGHT

☐16.5" ☐17.0" ☐17.5" ☐18.0" ☐18.5" ☐19.0" ☐19.5" ☐20.0" ☐20.5" — $ STD

STD Front Seat Height Rang
No Custom Modifications

*=Not Available with Quick

The front seat heights are impacted by the size of your front caster.

| Your Casters & Forks | Front Seat Height 16.5" | 17.0" | 17.5" | 18.0" | 18.5" | 19.0" | 19.5" | 20.0" | 20.5" |
|---|---|---|---|---|---|---|---|---|---|
| 3"Caster & STD Forks | ☐* | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | | |
| 3"Caster & Springs | ☐* | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | | |
| 3"Caster & Frog Legs | | | ☐* | ☐* | ☐* | ☐* | ☐* | | |
| 4"Caster & STD Forks | ☐* | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | |
| 4"Caster & Springs | | | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | |
| 4"Caster & Frog Legs | | | ☐* | ☐* | ☐* | ☐* | ☐* | ☐* | |
| 5"Caster & STD Forks | | ☐* | ☐* | ☐* | ☐ | ☐ | ☐ | ☐ | ☐* |
| 5"Caster & Springs | | | | ☐* | ☐* | ☐* | ☐* | ☐* | ☐* |
| 5"Caster & Frog Legs | | | | | ☐* | ☐* | ☐* | ☐* | ☐* |

### 8. REAR SEAT HEIGHT

☐14.5" ☐15.0" ☐15.5" ☐16.0" ☐16.5" ☐17.0" ☐17.5" ☐18.0" ☐18.5" ☐19.0" — $ STD

*The rear seat heights are impacted by the size of your rear tire.

Rear Seat Height Option

☐ w/Colours Air Ride System — Black Color — $ 1,580

*Including ;Fox Racing Shox 300 HP Pump

☐Powder-Coated ( ) **($380 up charge)**

☐PolishedAluminum **($800 up charge)**

*No Custom Modifications

| **STD** Rear Seat Height Ranges | |
|---|---|
| Rear Tire Size | Rear Seat Height |
| 24"x1"(540) | 14.5"- 18.0" |
| 24"x1 3/8"(540) | 15.0"- 18.0" |
| 25"x1"(559) | 15.5"- 18.0" |
| 24"x2"(540) | 15.5"- 18.5" |
| 26"x1"(590) | 15.5"- 19.0" |
| 25"x1.95"(559) | 16.0"- 19.0" |

*No Customodifications

| Rear Seat Height Ranges **w/ Air Ride System** | |
|---|---|
| Rear Tire Size | Rear Seat Height |
| 24"x1"(540) | 16.0"- 18.0" |
| 24"x1 3/8"(540) | 16.5"- 18.0" |
| 25"x1"(559) | 16.5"- 18.0" |
| 24"x2"(540) | 17.0"- 18.5" |
| 26"x1"(590) | 17.0"- 19.0" |
| 25"x1.95"(559) | 17.5"- 19.0" |

**REAR SUSPENSION RATING**

- ☐ Set up 50psi (For 80 lbs-110 lbs weight)
- ☐ Set up 60psi (For 110 lbs-140 lbs weight)
- ☐ Set up 80psi (For 140 lbs-170 lbs weight)
- ☐ Set up 100psi (For 170 lbs-200 lbs weight)
- ☐ Set up 120psi (For 200 lbs-230 lbs weight)
- ☐ Set up 150psi (For 230 lbs-250 lbs weight)

### 9. CENTER OF GRAVITY

☐1.0" ☐1.5" ☐2.0" ☐2.5" ☐3.0" ☐3.5" ☐4.0" ☐4.5" ☐5.0" ☐5.5" — $ STD

Center of Gravity Ranges

★=Excludes 24" x 2", 26" x 1",25" x 1.95" tires are selected.

☆=Not available with Air Ride System

| Your Seat Depth | Your Center of Gravity 1.0" | 1.5" | 2.0" | 2.5" | 3.0" | 3.5" | 4.0" | 4.5" | 5.0" | 5.5" |
|---|---|---|---|---|---|---|---|---|---|---|
| 14" | ☐ | ☐★ | ☐★ | | | | | | | |
| 15" | ☐☆ | ☐☆ | ☐ | ☐★ | ☐★ | | | | | |
| 16" | ☐☆ | ☐☆ | ☐☆ | ☐ | ☐ | ☐★ | ☐★ | | | |
| 17" | ☐☆ | ☐☆ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐★ | ☐★ | |
| 18" | ☐☆ | ☐☆ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐★ |
| 19" | ☐☆ | ☐☆ | ☐☆ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ |

### 10. CAMBER ANGLE

☐2° ☐4° — $ STD

### 11. FRONT OF SEAT SLING TO FRONT OF FOOTREST

☐14.5" ☐15.0" ☐15.5" ☐16.0" ☐16.5" ☐17.0" ☐17.5" ☐18.0" ☐18.5" ☐19.0" — $ STD

*Measurement must be 1.5" shorter than your Front Seat Height

**HIGH MOUNT**
**With Risers or Clamps**

☐9.5" ☐10.0" ☐10.5" ☐11.0" ☐11.5" ☐12.0" ☐12.5" ☐13.0" ☐13.5" ☐14.0" — $ 65

### 12. INSIDE WHEEL CLEARANCE

☐3/4" * ☐1" ☐1 1/4" ☐1 1/2" ☐1 3/4" ☐2" — $ STD

*3/4" Inside wheel clearance not available with 2 degree camber. (with the exception of Y-360 wheels)

*3/4" Inside wheel clearance not available with Armrest *3/4" Inside wheel clearance not available with D's Locks

**NOTE**

| | |
|---|---|
| Sub Total Section B 1/2 | $ |
| Sub Total Section B 2/2 | $ |
| **Total Section B** | **$** |

## C WHEELS, TIRES &CASTERS, FORKS 1/2

### WHEELS

| | | |
|---|---|---|
| **Standard Radial Spoke Wheel** | ☐24" (540) Only | $ STD |
| **Heat-Treated Wheel** | ☐24" (540) ☐25" (559) ☐26" (590) | $ 250 |
| **Cross Knot Laced Spokes** | ☐24" (540) ☐25" (559) ☐26" (590) | $ 250 |
| **Twister Super Strength Wheel** | ☐24" (540) ☐25" (559) ☐26" (590) | $ 300 |
| **SUN Fusion 16 Wheel**<br>16 Black Spokes | ☐24" (540) ☐25" (559)<br>Hub Color ☐Black ☐Silver | $ 410 |
| **Y-360 Billet Wheels**<br>*Max. Capacity 220Lbs ***Camber 0- 2° max**<br>*Not for Sports or Rugged use | ☐24" (540) ☐25" (559)<br>Style ☐Saw Blade ☐Hearts(25"only) ☐T-Style(25"only) | $ 999 |
| **Y-360 Billet Wheels MOD Style**<br>*Max. Capacity 220Lbs ***Camber 0- 2° max**<br>*Not for Sports or Rugged use | ☐25" (559) Only<br>Style ☐Tribal Sun ☐Girls ☐Eagle ☐Holy Cross ☐Hono<br>Specify Powder Coat Color for Insert Only ( ) *Choose from Frame Colors | $ 1,499 |
| **Extra Options for Y-360** | ☐Spinners Clover **($650 up charge)**<br>☐Powder-Coated Spokes Only ( )*Choose from Frame Colors **($150 up charge)** | |
| **X-Core (3 Spokes comp)**<br>***Camber 0- 2° max**<br>*Not available with D's Lock<br>*Not available with long tabs | ☐25" (559) Only<br>Wheel Color ☐Black<br>☐Yellow ☐Blue ☐Red ☐White | $ 743<br>$ 943 |
| **Spinergy Spox**<br>**18 Spokes** | ☐24" (540) ☐25" (559) ☐26" (590)<br>Spoke Color ☐Black With Silver Hub ☐Red With Black Hub ☐Yellow With Black Hub ☐Blue With Black Hub ☐White With Black Hub<br>☐ Custom Color Spoke Pattern | $ 695<br>$ 795 |
| **Spinergy LX**<br>**12 Spokes** | ☐24" (540) ☐25" (559) ☐26" (590)<br>Spoke Color ☐Black With Silver Hub ☐Red With Black Hub ☐Yellow With Black Hub ☐Blue With Black Hub<br>☐White With Black Hub ☐Neon Green With Black Hub ☐Pink With Black Hub ☐Orange With Black Hub<br>☐ Custom Color Spoke Pattern | $ 895<br>$ 995 |
| **Topolino** Cabon Core **WX2.5** Wheels<br>*Not available with D's Lock | Black Spokes Only ☐24" (540) ☐25" (559) ***Max. Capacity 220Lbs**<br>Nipples Color ☐Red ☐Yellow | $ 1,095 |
| **Pro Wheels**<br>w/ Aluminum Color Anodized Handrim<br>*Not available with D's Lock | ☐24" (540) ☐25" (559)<br>Spoke & Handrim Color ☐ Anodized Black ☐ Anodized Red ☐ Anodized Blue | $ 825 |

| Spokes Color | | Left Wheel | Right Wheel |
|---|---|---|---|
| | Inside | | |
| | Outside | | |
| Hub Color | | ☐Black/☐Silver | ☐Black/☐Silver |

### HANDRIMS

| | | |
|---|---|---|
| **Type** | ☐**Standard** For 24", 25" or 26" Wheel Anodized Black (*Not available with Pro Wheels) | $ STD |
| | ☐**Vinyl Coated** For 24", 25", 26" Wheel (*Not available with Pro Wheels) | $ 142 |
| | ☐**Natural Fit** For 24", 25" Wheel | |
| | ☐Standard Grip (Not available with short tabs. Not available with Y-360 Billet Wheels, X-Core, Topolino Wheels, Pro Wheels, Mag Wheels) | $ 295 |
| | ☐Super Grip (Not available with short tabs. Not available with Y-360 Billet Wheels, X-Core, Topolino Wheels, Pro Wheels, Mag Wheels) | $ 340 |
| | ☐Without Thumb Grip ( Not available with Y-360 Billet Wheels, Not available with Pro Wheels, Mag Wheels) | $ 270 |
| | ☐**Natural Fit (LT)** For 24", 25" Wheel | |
| | ☐Standard Grip (Not available with short tabs. Not available with Y-360 Billet Wheels, X-Core, Topolino Wheels, Pro Wheels, Mag Wheels) | $ 325 |
| | ☐Super Grip (Not available with short tabs. Not available with Y-360 Billet Wheels, X-Core, Topolino Wheels, Pro Wheels, Mag Wheels) | $ 370 |
| | ☐Without Thumb Grip ( Not available with Y-360 Billet Wheels, Not available with Pro Wheels, Mag Wheels) | $ 300 |
| | ☐**The Surge Handrims** * Not available with Y-360 Billet Wheels * w / X-Core Wheels required Installation fee **($30)** flat fee | $ 315 |
| | ☐**The Surge Handrims (LT)** * Not available with Y-360 Billet Wheels * w / X-Core Wheels required Installation fee **($30)** flat fee | $ 340 |
| | ☐**Spinergy Flex Rim** Available only on 24" and 25" Spinergy LX. | $ 495 |
| | ☐**Projections Handrims** *Not available with Y-360 Billet Wheels, X-Core, Topolino Wheels, Pro Wheels, Mag Wheels) **E0967**<br>*Call For Availability | $ CFP |
| **TAB LENGTH** | ☐Long Tab ( **STD** inside clearance 3/4") * Not available with X-Core Wheels | $ STD |
| | ☐Short Tab (Inside clearance 1/2") *Not available with Ultra Grip and Natural Fit Handrim with thumb grip | $ STD |
| | ☐Short Tab (Set closest to wheel cut off excess) * Not available with Y-360 wheel, Pro Wheels, X-Core, Pro Wheels | $ 15 |

## C WHEELS, TIRES &CASTERS, FORKS 2/2

### TIRES

| | | |
|---|---|---|
| ☐**High Pressure Tire** ☐24"x1", ☐25"x1" or ☐26"x1" Gray Tire with black wall Only | **E2211/E2212** | $ STD |
| ☐**High Pressure Tire** ☐24"x1", ☐25"x1" or ☐26"x1" ☐Blue ☐Red | **E2211/E2212** | $ 65 |
| ☐**Low Pressure Tire** ☐24"x1-3/8" or ☐26"x1-3/8" Gray Only | **E2211/E2212** | $ STD |
| ☐**E2211Schwalbe Marathon Plus** High Pressure Tire ☐24"x1", ☐25"x1" or ☐26"x1" Black Only | **E2211/E2212** | $ 99 |
| ☐**Solid Tire** ☐24"x1", ☐25"x1" or ☐26"x1" ☐Dark Gray ☐Black**( $30up charge )** | **E2218** | $ 135 |
| ☐**E2211 Moderate V-Track Knobby Tire** 24"x1-3/8" (37-540) Gray Only | **E2211/E2212** | $ 117 |
| ☐**E2211 Aggressive Knobby Tire** 24"x 2" (50-540) Gray Only | **E2211/E2212** | $ 117 |
| ☐**E2211 Aggressive Knobby Tire** 26"x 1.95" (50-559) Black Only | **E2211/E2212** | $ 117 |
| ☐**E2213** Flat-Free Inserts For 24"x1-3/8" Tires Only | **E2211/E2213** | $ 117 |

### CASTERS

| *SIZE* | *TIRE WIDTH* | *HUB COLOR* | *TIRE COLOR* | *DESCRIPTION* | |
|---|---|---|---|---|---|
| ☐**3"** | 1" | Black Hub | Black Tire Only | Polyeurathane | $ STD |
| ☐**3"** | 1" | Plastic Black Hub | Clear Tire Only | Lighted, Polyeurathane | $ 65 |
| ☐**3"** | 1" | Red Hub | Red Tire Only | Polyeurathane | $ STD |
| ☐**3"** | 1" | Black Hub | Clear Tire Only | Polyeurathane | $ STD |
| ☐**3"** | 1" | Aluminum Silver Hub | Black Tire Only | Made By Flog Legs | $ 165 |
| ☐**3"** | 1" | Aluminum Black Hub | Black Tire Only | Made By Flog Legs | $ 165 |
| ☐**3"** | 1.5" | Aluminum Silver Hub | Black Tire Only | Soft Roll Made By Flog Legs | $ 165 |
| ☐**3"** | 1.5" | Aluminum Black Hub | Black Tire Only | Soft Roll Made By Flog Legs | $ 165 |
| ☐**4"** | 1" | Plastic Black Hub | Black Tire Only | | $ STD |
| ☐**4"** | 1" | Plastic Black Hub | Clear Only | Lighted, Polyeurathane | $ 65 |
| ☐**4"** | 1" | Plastic Black Hub | Black Tire Only | Made By Flog Legs | $ 125 |
| ☐**4"** | 1" | Aluminum Silver Hub | Black Tire Only | Made By Flog Legs | $ 165 |
| ☐**4"** | 1" | Aluminum Black Hub | Black Tire Only | Made By Flog Legs | $ 165 |
| ☐**4"** | 1.5" | Composite Black Hub | Tire ☐Black ☐Blue ☐Red | Soft Roll Made By Flog Legs | $ 135 |
| ☐**4"** | 1.5" | Aluminum Silver Hub | Tire ☐Black ☐Blue ☐Red | Soft Roll Made By Flog Legs | $ 165 |
| ☐**4"** | 1.5" | Aluminum Black Hub | Black Tire Only | Soft Roll Made By Flog Legs | $ 165 |
| ☐**5"** | 1" | Composite Black Hub | Black Tire Only | | $ STD |
| ☐**5"** | 1" | Plastic Black Hub | Clear Tire Only | Lighted, Polyeurathane | $ 65 |
| ☐**5"** | 1" | Composite Black Hub | Black Tire Only | Made By Flog Legs | $ 125 |
| ☐**5"** | 1" | Aluminum Silver Hub | Black Tire Only | Made By Flog Legs | $ 165 |
| ☐**5"** | 1" | Aluminum Black Hub | Black Tire Only | Made By Flog Legs | $ 165 |
| ☐**5"** | 1.5" | Composite Black Hub | Tire ☐Black ☐Blue ☐Red | Soft Roll Made By Flog Legs | $ 135 |
| ☐**5"** | 1.5" | Aluminum Silver Hub | Tire ☐Black ☐Blue ☐Red | Soft Roll Made By Flog Legs | $ 165 |
| ☐**5"** | 1.5" | Aluminum Black Hub | Black Tire Only | Soft Roll Made By Flog Legs | $ 165 |

### FORKS

| | | |
|---|---|---|
| ☐**STD Aluminum Forks** Black Only | | $ STD |
| Extra Options for Aluminum Forks ☐With Suspension Springs | **E1015** | $ 55 |
| ☐With Quick Release Axles | **K0073** | $ 107 |
| ☐**Frog Leg** Suspension Forks **Std 1" Wide** (For 3", 4" x 1" width Caster and 5" STD Caster, 5" lighted Caster) ( Not available with Quick Release Axles) Color ☐Anodized Black ☐Anodized Silver | **E1015** | $ 575 |
| ☐**Frog Leg** Suspension Forks **1.5" Wide** (For 3", 4" x 1.5" width Caster and 5" x 1"& 5" x 1.5" Casters ) ( Not available with Quick Release Axles) Color ☐Anodized Black ☐Anodized Silver | **E1015** | $ 575 |

| | |
|---|---|
| Sub Total Section C 1/2 $ | |
| Sub Total Section C 2/2 $ | |
| **Total Section C $** | |

## D COMPONENTS

| | | |
|---|---|---|
| **WHEEL LOCKS** | | |
| ☐**Push to Lock** / Anodized Black Only | | $ STD |
| ☐NEW **Compact Push to Lock** / Anodized Black Only ☐w/ 2" Extension Handle **($65up)** | | $ 110 |
| ☐NEW **Compact Scissor Lock** / Anodized Black Only | | $ 110 |
| ☐**D's Locks** (*Not available with Air Ride System and X-Core, Topolino WX2.5, Pro Wheels, Magic wheels) (*Does not include installation fee) | | $ CFP |
| **PUSH HANDLES** | ***If you are ordering push handles, You must select the backrest locking mechanism.** | |
| ☐**Integrated** w/Fixed Backrest Height / Anodized Black Only | | $ STD |
| ☐**Bolt-on** / Anodized Black Only Specify Height from floor -( ") | | $ 142 |
| ☐**Bolt-on w/Quick Release** / Anodized Black Only Specify Height from floor -( ") | | $ 190 |
| ☐NEW **Height Adj.** / Anodized Black Only Specify Maximum height from floor -( ") | | $ 295 |
| **NEW ARM RESTS** | Anodized Black Only, | |
| ☐**Fixed Tubular Armrest** Adj. Angle and Height | Height from seat sling Set at : ☐8" ☐9" ☐10" ☐11" ☐12" **E0973** | $ 250 |
| ☐**Swing Away Tubular Armrest** Adj. Angle and Height | Height from seat sling Set at : ☐8" ☐9" ☐10" ☐11" ☐12" **E0973** | $ 250 |
| ☐**Flip-Up Armrest** ☐ w/Fixed Tubular Armrest | Height from seat sling Set at : ☐8" ☐9" ☐10" ☐11" ☐12" **E0973** | $ 250 |
| Adj. Angle ☐ w/ Swing Away Tubular Armrest | Height from seat sling Set at : ☐8" ☐9" ☐10" ☐11" ☐12" **E0973** | $ 250 |
| ☐**Custom Length & Height ($150 up charge)** *Specify Height & Length → |  | |
| **ANTI-TIPPERS** | | |
| ☐ **Anti-Tippers** (pair) w/ Quick Release / Anodized Black Only | **E0971** | $ 112 |
| **SIDE GUARDS** | | |
| ☐**Rigid Side Guards** - Black ABS | ☐Non-Removable ☐Removable ☐Removable w/Hole **($10 up charge)**<br>Size: ☐STD ☐ Medium ☐ Cut to Wheel **($98 up charge)** Measurement<br>Color: Black Only | $ 142 |
| ☐**Rigid Side Guards** - Aluminum | ☐Non-Removable ☐Removable<br>Size:☐ Medium Only ☐ Cut to Wheel **($98 up charge)** Measurement<br>Color ☐Black (STD) ☐Pol. Aluminum (STD)<br>☐Powder Coated ( ) **($50 up charge)**<br>☐Gold Plate **(+CFP)** | $ 197 |
| ☐**PRO-TEX Fender Guards** / (Black ABS -Only) | ☐Cut to Fit Specs ☐Do Not Install | $ 175 |
| ☐**Fabric Clothing Guards** Black Nylon w/Velcro | | $ 78 |
| **SEAT CUSHION** | **-*Please see section E for other cushion choices.-** | |
| ☐**Foam Cushion** w/Nylon Black Cover | Thickness ☐1" ☐2" ☐3" ☐4" | $ 78 |
| ☐**Custom Cushion Cover** (Std. Foam Cushion Only) –Select Fabric ( ) **($90 up charge)** | | |
| **MISCELLANEOUS** | | |
| ☐**Frame Protectors** / Black Leather/Zipper Type | | $ 78 |
| ☐**K0065 Spoke Protectors** / Black Only ☐24" ☐25" ☐26" | **K0065** | $ 107 |
| ☐**E0978 Seat Belt** w/Auto Buckle (BP) 1.5" Black Belt Only | **E0978** | $ 69 |
| ☐**Tie Down Brackets** 4pcs. | | $ 210 |
| **SPECIALTY PARTS** | ☐**Wheelchair Tray** Size: ☐W14"x D12" ☐ W16"x D14" ☐ W18"x D14"<br>Color: ☐Raw Alum. ☐Black Alum. ☐Polish Alum.**($250 up charge)** | $ 250 |
| **UPHOLSTERY CHOICE & COLOR** | ***Positioning Back Available. Please see Section E** | |
| ☐**Standard Adjustable Ht Backrest** Black Only | | $ STD |
| ☐**Adjustable Tension Backrest** Black Only (*Not available with 8" Backrest Height) | | $ 135 |
| Custom Options ☐Fabrics for Fun For Std. or Adj. Style | ☐001 ☐002 ☐003 ☐004 ☐006 ☐010 ☐011 ☐014 ☐015 ☐016 ☐017 ☐018 ☐020 ☐021 ☐022 ☐023 ☐024 ☐025 ☐026 ☐027 ☐028 **($95 up charge)** | |
| ☐Backrest Leather Trim (outside panels) | **($77 up charge)** | |
| ☐**Calf Strap** ☐Black ☐Matching Fabric **($55 up charge)** -Select Fabric( ) | **K0038** | $ 24 |
| ☐**Matching Fabric on Padded Side Guards** –Select Fabric ( ) | | $ 210 |
| | **Total Section D $** | |




| Height | Size |
|---|---|
| 7.5" | STD |
| 8.25" | Medium |



## E CHAIR OPTIONS 1/2

### SEAT CUSHION

### SUPRACOR® WHEELCHAIR CUSHIONS

**Stimulite® Contoured Cushion** *Black Upholstery only

| | | |
|---|---|---|
| ☐W14"xD16" (CD1416) | **E2603** | $ 525 |
| ☐W16"xD16" (CD1616) | **E2603** | $ 525 |
| ☐W16"xD18" (CD1618) | **E2603** | $ 525 |
| ☐W18"xD16" (CD1816) | **E2603** | $ 525 |
| ☐W18"xD18" (CD1818) | **E2603** | $ 525 |
| ☐W18"xD20" (CD1820) | **E2603** | $ 540 |
| ☐W20"xD16" (CD2016) | **E2603** | $ 540 |
| ☐W20"xD18" (CD2018) | **E2603** | $ 540 |
| ☐W20"xD20" (CD2020) | **E2603** | $ 555 |

☐Extra Sensitive **($30 up charge)**
☐Sling Style Bottom **($45 up charge)**
☐Custom Size W( " ) x D( " ) **( $- CFP )**

**Stimulite® Slimline Cushion** *Black Upholstery only

| | | |
|---|---|---|
| ☐W14"xD16" (SM1416) | **E2603** | $ 495 |
| ☐W16"xD16" (SM1616) | **E2603** | $ 495 |
| ☐W16"xD18" (SM1618) | **E2603** | $ 495 |
| ☐W18"xD18" (SM1818) | **E2603** | $ 495 |
| ☐W18"xD20" (SM1820) | **E2603** | $ 495 |
| ☐W20"xD16" (SM2016) | **E2603** | $ 510 |
| ☐W20"xD18" (SM2018) | **E2603** | $ 510 |
| ☐W20"xD20" (SM2020) | **E2603** | $ 510 |

☐Extra Sensitive **($30 up charge)**
☐Sling Style Bottom **($45 up charge)**
☐Custom Size W( " ) x D( " ) **( $- CFP )**

**Stimulite® Corbee Pediatric** *Black Upholstery only

| | | |
|---|---|---|
| ☐W10"xD10" (PD1010) | **E2603** | $ 450 |
| ☐W12"xD12" (PD1212) | **E2603** | $ 450 |
| ☐W14"xD14" (PD1414) | **E2603** | $ 450 |

☐Extra Sensitive **($30 up charge)**
☐Sling Style Bottom **($45 up charge)**
☐Custom Size W( " ) x D( " ) **( $- CFP )**

### ROHO WHEELCHAIR CUSHIONS

**☐4" HIGH PROFILE® QUADTRO SELECT® CUSHION** *Black Upholstery **E2622-2623** $ 525

Choose Size
☐W12"xD12" ☐W12"xD13" ☐W13"xD13" ☐W13"xD15" ☐W13"xD16" ☐W15"xD13" ☐W15"xD15"
☐W15"xD16" ☐W15"xD18" ☐W16"xD15" ☐W16"xD16" ☐W16"xD18" ☐W16"xD20" ☐W18"xD15"
☐W18"xD16" ☐W18"xD18" ☐W18"xD20" ☐W18"xD22" ☐W20"xD16" ☐W20"xD18" ☐W20"xD20"
☐W20"xD22" ☐W22"xD18" ☐W22"xD20" ☐W22"xD22" ☐Custom Size W( " ) x D( " ) **( $+85 )**

**☐3" MID PROFILE® QUADTRO SELECT® CUSHION** *Black Upholstery only **E2622-2623** $ 525

Choose Size
☐W15"xD15" ☐W15"xD16" ☐W16"xD16" ☐W16"xD18" ☐W18"xD16" ☐W18"xD18"
☐Custom Size W( " ) x D( " ) **( $+85 )**

**☐2" LOW PROFILE® QUADTRO SELECT® CUSHION** *Black Upholstery only **E2622-2623** $ 525

Choose Size
☐W12"xD12" ☐W12"xD13" ☐W13"xD13" ☐W13"xD15" ☐W13"xD16" ☐W15"xD13" ☐W15"xD15"
☐W15"xD16" ☐W15"xD18" ☐W16"xD15" ☐W16"xD16" ☐W16"xD18" ☐W16"xD20" ☐W18"xD15"
☐W18"xD16" ☐W18"xD18" ☐W18"xD20" ☐W20"xD16" ☐W20"xD18" ☐W20"xD20"
☐Custom Size W( " ) x D( " ) **( $+85 )**

**☐2" NEXUS SPIRIT® CUSHION** *Black Upholstery only **E2622** $ 525

Choose Size
☐W14"xD14" ☐W14"xD16" ☐W15"xD15" ☐W16"xD16" ☐W16"xD18" ☐W17"xD17" ☐W18"xD16"
☐W18"xD18" ☐W20"xD18"
*** Custom Size Not Available**

### STAR CUSHIONS

**Galaxy Cushion** *Black Upholstery only **E2624** $ 498

☐W14"xD14" ( GXY 1414-2) ☐W14"xD16" ( GXY 1416-2)
☐W16"xD14" ( GXY 1614-2) ☐W16"xD16" ( GXY 1616-2)
☐W16"xD18" ( GXY 1618-2) ☐W18"xD16" ( GXY 1816-2)
☐W18"xD18" ( GXY 1818-2) ☐W18"xD20" ( GXY 1820-2)
☐W20"xD16" ( GXY 2016-2) ☐W20"xD18" ( GXY 2018-2)
☐W20"xD20" ( GXY 2020-2)

⇒ Choose Zoning Options

☐Standard - Dual Valve
☐Dual Valve - Front to Back
☐Four Valve
☐Simple - Single Valve
☐Four Valve - Enhanced
☐Four Valve - Front to Back

**THE CURVE CUSHION** *Black Upholstery only $ 133

☐W10"xD10" ☐W10"xD11" ☐W10"xD11" ☐W10"xD12" ☐W11"xD12" ☐W12"xD12"
☐W12"xD13" ☐W12"xD14" ☐W13"xD11" ☐W13"xD12" ☐W13"xD13" ☐W13"xD14"
☐W14"xD14" ☐W14"xD15" ☐W14"xD16" ☐W15"xD14" ☐W15"xD15" ☐W15"xD16"
☐W16"xD14" ☐W16"xD15" ☐W16"xD16" ☐W16"xD17" ☐W16"xD18" ☐W17"xD16"
☐W17"xD17" ☐W17"xD18" ☐W18"xD16" ☐W18"xD17" ☐W18"xD18"

NOTE

## E CHAIR OPTIONS 2/2

### POSITIONING BACK

***Note : Actual height of the backrest will increase 2" or more.**




**ADI CARBON BACKREST (Support Contour-ACTIVE 2.5")** *Not Available with Welded Side Guards

Mounting Hardware: ☐ **2 Point Pro** ☐ **Quick Release**

| Height | | | | |
|---|---|---|---|---|
| ☐**LOW** (10" Tall) ***Backrest Height requires 12" or more** | *Available 13"-19" width | Width ( ") | **E2613** | $ 745 |
| ☐**Medium** (13" Tall ) ***Backrest Height requires 15" or more** | *Available 13"-19" width | Width ( ") | **E2613** | $ 815 |
| ☐**Standard** (16" Tall ) ***Backrest Height requires 18" or more** | *Available 13"-19" width | Width ( ") | **E2613** | $ 880 |
| ☐**Custom Size** ( " Tall ) x ( " width ) | | | **E2613** | $ CFP |

**ADI ALUMINUM BACKREST (Support Contour-ACTIVE 2.5")** *Not Available with Welded Side Guards

Mounting Hardware: ☐ **2 Point Pro** ☐ **Quick Release**

| Height | | | | |
|---|---|---|---|---|
| ☐**LOW** (10" Tall ) ***Backrest Height requires 12" or more** | *Available 10"-20" width | Width ( ") | **E2613** | $ 610 |
| ☐**Medium** (13" Tall ) ***Backrest Height requires 15" or more** | *Available 12"-20" width | Width ( ") | **E2613** | $ 625 |
| ☐**Standard** (16" Tall ) ***Backrest Height requires 18" or more** | *Available 14"-20" width | Width ( ") | **E2613** | $ 640 |
| ☐**Tall** (18" Tall ) ***Backrest Height requires 20" or more** | *Available 16"-20" width | Width ( ") | **E2613** | $ 655 |
| ☐**X-Tall** (20" Tall ) ***Backrest Height requires 22" or more** | *Available 16"-20" width | Width ( ") | **E2613** | $ 670 |
| ☐**Custom Size** ( " Tall ) x ( " width ) | | | **E2613** | $ CFP |

**ADI ALUMINUM BACKREST (Support Contour-DEEP 4")** *Not Available with Welded Side Guards *Not Available with Lateral Supports

Mounting Hardware: ☐ **2 Point Pro** ☐ **Quick Release**

| Height | | | | |
|---|---|---|---|---|
| ☐**LOW** (10" Tall ) ***Backrest Height requires 12" or more** | *Available 10"-20" width | Width ( ") | **E2615** | $ 710 |
| ☐**Medium** (13" Tall ) ***Backrest Height requires 15" or more** | *Available 12"-20" width | Width ( ") | **E2615** | $ 725 |
| ☐**Standard** (16" Tall ) ***Backrest Height requires 18" or more** | *Available 14"-20" width | Width ( ") | **E2615** | $ 740 |
| ☐**Tall** (18" Tall ) ***Backrest Height requires 20" or more** | *Available 16"-20" width | Width ( ") | **E2615** | $ 755 |
| ☐**X-Tall** (20" Tall ) ***Backrest Height requires 22" or more** | *Available 16"-20" width | Width ( ") | **E2615** | $ 770 |
| ☐**Custom Size** ( " Tall ) x ( " width ) | | | **E2615** | $ CFP |

**ADI LATERAL SUPPORTS** **( Lateral Supports are compatible with only active 2.5" ADI positioning back. )**

☐**Stationary Pad** **Pad Size** ☐Small (3" H x 3" D) ☐Medium(3" H x 4" D) ☐Large(4.5" H x 4.5" D) ☐Large(4" H x 6" D)

| | |
|---|---|
| ☐Pair | $ 320 |
| ☐Left side only or ☐Right side only | $ 160 |

☐**Swing-Out** **Pad Size** ☐Small (3" H x 3" D) ☐Medium(3" H x 4" D) ☐Large(4.5" H x 4.5" D) ☐Large(4" H x 6" D)

| | |
|---|---|
| ☐Pair | $ 520 |
| ☐Left side only or ☐Right side only | $ 260 |

### OTHER

| | |
|---|---|
| ☐**ADI Transfer Board** ☐21" (ADV21) ☐24" (ADV24) ☐29" | $ 62 |
| ☐**ADI Push and Transfer Gloves** **Leather** (one size fits) | $ 60 |
| ☐**ADI Carbon Solid Seat** (Wide: 18" Max, Depth: 20" ) ※Colours Side Guards Not Available with ADI Carbon Solid Seat | $ 625 |
| **With / ☐ADI Folding Carbon Side Guard** | $ 400 |
| **With / ☐ADI Fixed Carbon Side Guard** | $ 375 |

**VARILITE®** **Seating Systems Available**

Please visit for all options. www.varilite.com — CFP

NOTE

| | |
|---|---|
| **Sub Total Section E 1/2** $ | |
| **Sub Total Section E 2/2** $ | |
| **Total Section E** $ | |

## F SPECIAL PARTS COLORS ( Please allow an additional 1-2 weeks delivery)

**PARTS COLORS**

| | | | | | | |
|---|---|---|---|---|---|---|
| **Powder-Coated** | Gloss Black | Twilight Flake | Yellow | Magenta | Fire Engine Red | White |
| | Candy Blue | Candy Purple | Candy Green | Candy Red | Candy Raspberry | Cobalt Blue |
| | Matte Gray | Matte Purple | Matte Blue | Matte Green | Matte Black | Matte Red |
| | Neon Red | Neon Green | Orange Sparkle | Mellon Yellow | Gun Smoke Silver | Pigeon Blue |
| | | Granny Sparkle Green | Sparkle Sky Blue | Vermilion | Reed Green | Blue Lilac |

**Special Colors** Polished Aluminum
24 karat Gold Plated ***Please allow an additional 4 weeks delivery**

**Please Choose the Color for each Part**
*Parts not selected will be black color. (Suspension Spring: Silver Color)
*Minimum 3 parts selected per order.

*PC=Powder-Coated




**Total Section F $**

COLOURS WHEELCHAIR **MEASUREMENT GUIDE** Ver.1 02/01/2012

## 1. SEAT WIDTH

Measure from outside of seat tube to the outside of the opposite seat tube.




## 2. SEAT DEPTH

Measure from at the front bottom of backrest tube to the front edge of seat sling.




## 3. FOOTREST WIDTH

Measure from inside of front frame tube to inside of opposite front frame tube.




## 4. FRAME ANGLE

Measure angle frame front to floor.




## 5. BACKREST HEIGHT

Measure from top of back post to seat sling at front bottom of backrest tube.




## 6. BACKREST ANGLE

Measure angle from front of back post to floor.




## 7. FRONT SEAT HEIGHT

Measure from floor to top of seat sling at front edge.




## 8. REAR SEAT HEIGHT

Measure from floor to top of seat sling at front bottom of backrest tube.




## 9. CENTER OF GRAVITY

Measure from center of back tube at the folding pivot to the center of the rear axle.

( If welding backrest is selected, Measure from center of back tube at the seat tube to the center of the rear axle. )




## 10. CAMBER ANGLE

Measure angle from wheel to vertical at floor.




## 11. FRONT OF SEAT SLING TO FOOTREST

**ADULT CHAIR**

Measure from top of seat sling at front edge to top of foot plate at front edge.




**PEDIATRIC CHAIR**

Measure vertical from top of seat sling at front edge to top of foot plate.

## 12. INSIDE WHEEL CLEARANCE

Measure from outside of seat back tube to inside of rear tire.

( If side guards are selected, measure from outside of side guards to inside of rear tire.)